DDC

DDC · REDEFINING INFECTION CONTROL SINCE 1991

Panamatic Mini Bedpan Washer Disinfector

A bedpan washer offers a fast, reliable, and cost-effective solution for disposing of hazardous human waste, significantly improving efficiency over traditional hand-washing methods while minimising clinicians' exposure to harmful pathogens.



DDCDOLPHIN.COM

Redefining Infection Control

Our range of washer disinfectors have been developed over decades to provide you with a fast and safe human waste disposal system with passive safety measures to minimise the risk of infection.



Designed to empty, wash and disinfect plastic or stainless steel human waste containers such as bedpans, commode pots and urine bottles, as well as washbowls, our bedpan washer disinfectors incorporate the latest technological advances.

The Panamatic Mini provides capacity within a compact frame. Its internal chamber accommodates 1 bedpan and 1 urine bottle per cycle.

Performing a cold water wash, followed by thermal disinfection the Mini is a versatile bedpan washer with capacity to cope with high demand wards or care settings.

DDC's range of Panamatic Bedpan Washers underpin the infection control strategy of thousands of facilities around the world.

Key Benefits

- Reduce cross contamination of infectious materials and minimise the risk of ward outbreaks, keeping staff and patients safe.
- Incorporates the latest technological advances and able to achieve thermal disinfection levels in line with NHS periodic testing guidelines.
- High quality materials and components, including 304 grade stainless steel cabinet & chamber.

Panamatic Mini Features

Unique multi-utensil racking design
Extremely convenient with one rack to fit all standard bedpan sizes.

Rapid cycle
Washing and disinfection cycle

Rotating wash nozzle and strategically sited spray jet
Ensure a superior wash performance.



Hands-free open technology
Using a foot sensor to minimise cross infection and facilitate ease of use.

Cold wash cycle
For a thorough cleaning process prior to thermal disinfection.

Top-loading
For a simple loading and emptying process.

Optional programmable audio*
Language specific to ensure correct and proper use by staff.

Compact
Save space, making it suitable for all room types and sizes.

High quality materials and components
Smooth, crevice-free surfaces to minimise trapped bacteria. Front panel incorporating antimicrobial technology to reduce the possibility of microbial growth.

Easy connection electrical supply
So you can connect and go!

Chemical scale management system
Suitable for soft and hard water areas.

*Optional feature. Available in various languages—contact our team for more information.









Technical Specifications

GENERAL	
Stainless Steel grade:	304
Dimensions w x h x d (lid closed):	500 x 1042 ±3 x 600mm
Weight (Machine Only):	Dry 64.5kg Wet 85kg
Capacity:	1 pot + 1 urine bottle
Ingress protection:	IP20
Operation cycle time:	6 minutes
Decibel rating:	49.4 dba
CHEMICAL SYSTEM	
Recommended chemical:	Aqua Shield
Chemical dosing per cycle:	40.5ml (adjustable to suit water hardness)
ELECTRICAL	
230V Voltage:	230V / 50Hz with dedicated 13A breaker
Circuit protection (230 Voltage):	30mA EPD / GFEP / EGFPD, EN 60947-2
Rated power input:	2.55kW
Electrical consumption per cycle:	0.285kWh
Steam generator power:	2.5kW
Pump power:	0.425kW
Water	
Water connection:	3/4" BSP male fittings required (washing machine hose)
Water pressure:	Cold Water supply pressure 0.5 - 10 Bar
Water flow rate (Min):	10L per minute at 1 bar
Water tank capacity:	20L
Water consumption per cycle:	20.4L
Waste connection:	75mm ID (3") Pushfit
Overflow connection:	22mm
Waste Height:	See Installation Preparation Guide for full details.

*Specifications correct at time of print

Dimensions





	Milimeters
A	1500 ±3
B	1042 ±3
C	960
D	600
E	766
F	500

DDC

Scan to find out more

MADE IN BRITAIN

CE

ISO 14001 ISOQAR

UKAS MANAGEMENT SYSTEMS 0026

Certificate Number 1161 9001/14001

IHEEM

+44 (0) 1202 731 555

INFO@DDCDOLPHIN.COM

DDCDOLPHIN.COM